



**Paslanmaz Çelik KONSANTRİK ve EKSANTRİK REDÜKSİYONLAR/Dikişli-Dikişsiz
ASTM A403, A815 / ANSI B16.9 normunda**

DIŞ ÇAP d1 x d2 İnç	DIŞ ÇAP d1 x d2 mm	SCH	ET KALINLIĞI		TEOR. AĞIRLIK kg/item
			s1 x s2 mm	h mm	
1/2"x3/8"	21,34 x 17,15	10s	2,11 x 1,65	50.8	0,03
		40s	2,77 x 2,31	50.8	0,05
3/4" x 1/2"	26,67 x 21,34	10s	2,11 x 2,11	38.1	0,04
		40s	2,87 x 2,77	38.1	0,06
1" x 1/2"	33,40 x 21,34	10s	2,77 x 2,11	50.8	0,09
		40s	3,38 x 2,77	50.8	0,11
1" x 3/4"	33,40 x 26,67	10s	2,77 x 2,11	50.8	0,10
		40s	3,38 x 2,87	50.8	0,12
1.1/4" x 1.1/2"	42,16 x 21,34	40s	3,56 x 2,77	50.8	0,13
1.1/4" x 3/4"	42,16 x 26,67	10s	2,77 x 2,11	50.8	0,11
		40s	3,56 x 2,87	50.8	0,14
1.1/4" x 1"	42,16 x 33,40	10s	2,77 x 2,77	50.8	0,12
		40s	3,56 x 3,38	50.8	0,16
1.1/2" x 1/2"	48,26 x 21,34	10s	2,77 x 2,11	63.5	0,14
		40s	3,68 x 2,77	63.5	0,18
1.1/2" x 3/4"	48,26 x 26,67	10s	2,77 x 2,11	63.5	0,15
		40s	3,68 x 2,87	63.5	0,20
1.1/2" x 1"	48,26 x 33,40	10s	2,77 x 2,77	63.5	0,17
		40s	3,68 x 3,38	63.5	0,22
1.1/2" x 1.1/4"	48,26 x 42,16	10s	2,77 x 2,77	63.5	0,18
		40s	3,68 x 3,56	63.5	0,24
2" x 1/2"	60,33 x 21,34	10s	2,77 x 2,11	76.2	0,23
		40s	3,91 x 2,77	76.2	0,28
2" x 3/4"	60,33 x 26,67	10s	2,77 x 2,11	76.2	0,22
		40s	3,91 x 2,87	76.2	0,30

2" x 1"	60,33 x 33,40	10s	2,77 x 2,77	76.2	0,23
		40s	3,91 x 3,38	76.2	0,32
2" x 1.1/4	60,33 x 42,16	10s	2,77 x 2,77	76.2	0,25
		40s	3,91 x 3,56	76.2	0,35
2" x 1.1/2"	60,33 x 48,26	10s	2,77 x 2,77	76.2	0,27
		40s			