



Paslanmaz çelik KAYNAK UÇLU EŞİT TEE / Dikişli veya Dikişsiz
ASTM A403, A815 / ANSI B16.9 normunda
Standart malzemeler: AISI 304-304L, 316L-316Ti

DIŞ ÇAP-Ø d mm	ET KALINLIĞI s mm	DIŞ ÇAP-Ø d İnç	SCH	c mm	TEOR. AĞIRLIK kg/item
21,34	2,11	1/2"	10s	25.4	0,07
	2,77		40s	25.4	0,08
26,67	2,11	3/4"	10s	28.6	0,09
	2,87		40s	28.6	0,11
33,40	2,77	1"	10s	38.1	0,20
	3,38		40s	38.1	0,24
42,16	2,77	1.1/4"	10s	47.6	0,33
	3,56		40s	47.6	0,41
48,26	2,77	1.1/2"	10s	57.2	0,46
	3,68		40s	57.2	0,60
60,33	2,77	2"	10s	63.5	0,63
	3,91		40s	63.5	0,87
73,03	3,05	2.1/2"	10s	76.2	1,01
	5,16		40s	76.2	1,66
88,90	3,05	3"	10s	85.7	1,37
	5,49		40s	85.7	1,90
114,30	3,05	4"	10s	104.8	2,15
	6,02		40s	104.8	4,13
141,30	3,40	5"	10s	123.8	3,48
	6,55		40s	123.8	6,55
168,28	3,40	6"	10s	142.8	4,76
	7,11		40s	142.8	9,73
219,08	3,76	8"	10s	177.8	8,46
	8,18		40s	177.8	18,00
273,05	4,19	10"	10s	215.9	14,20

	9,27		40s	215.9	30,80
323,85	4,57	12"	10s	254	21,60
355,60	4,78	14"	10s	279	27,30
406,40	4,78	16"	10s	305	33,60
508,00	5,54	20"	10s	356	61,00